Markdown support inside-out

Jarno Elovirta @ DITA-OT Day 2017

Vanity slide

I write programs

Not affiliated with Lightweight DITA SC

Started work on Markdown for DITA-OT plugin in 2015

Consultant at WunderDog, I'm available for hire, you know



Content, not syntax

Self-defense Against Fresh Fruit

How to defend yourself against a person armed with a banana.

- * You force them to drop the banana.
- * You eat the banana.

Content, not syntax

Self-defense Against Fresh Fruit

How to defend yourself against a person armed with a banana.

- * You force them to drop the banana.
- * You eat the banana.

```
<task id="task_ihh_5vq_pbb">
  <title>Self-defense Against Fresh Fruit</title>
  <shortdesc>How to defend yourself against a
  person armed with a banana.</shortdesc>
  <taskbody><steps>
    <step><cmd>You force them to drop the
  banana.</cmd>
  </step>
    <step><cmd>You eat the
  banana.</cmd>
  </step>
    </steps></taskbody></task>
```

Content, not syntax

Self-defense Against Fresh Fruit

How to defend yourself against a person armed with a banana.

- * You force them to drop the banana.
- * You eat the banana.

```
<task id="task_ihh_5vq_pbb">
  <title>Self-defense Against Fresh Fruit</title>
  <shortdesc>How to defend yourself against a
  person armed with a banana.</shortdesc>
  <taskbody><steps>
    <step><cmd>You force them to drop the
  banana.</cmd>
  </step>
    <step><cmd>You eat the
  banana.</cmd>
  </step>
    <steps></taskbody></task>
```

Content not syntax

```
# Self-defense Against Fresh Fruit 

How to defend yourself against a person armed 

with a banana. 

* You force them to drop the banana. 

* You eat the banana.
```

```
<task id="task_ihh_5vq_pbb">
<title>Self-defense Against Fresh Fruit</title>
<shortdesc>How to defend yourself against a
person armed with a banana.</shortdesc>
<taskbody><steps>
<step><cmd>You force them to drop the
banana.</cmd>
</step>
<step><cmd>You eat the
banana.</cmd>
</step>
</steps></taskbody></task>
```



MDITA is one subset of Markdown


LwDITA defines a mapping from Markdown structures to DITA equivalents

Markdown allows structures that cannot be represented as DITA


LwDITA plugin also supports a more relaxed and extended profile

HTML5 in Markdown requires another mapping to DITA

From Unicode to XML data model




From Unicode to XML data model



Markdown output

Transtype for different Markdown flavours is included

Implemented via AST in XML:



LwDITA for DITA-OT plugin project

Separate open source project by the same people

Bundled with DITA-OT 3.0

Works with older versions of DITA-OT

Goal is to release a new version of the plugin more often than DITA-OT

Long-term support is possible




HDITA

HTML5 is just another syntax for DITA

HDITA is quite a strict subset of HTML5, more so than MDITA

Yeah, but...



Ask me more

jelovirt@gmail.com

@jelovirt

slack.dita-ot.org

wunder.dog